

Message

From: MacNicholl, Peter@DTSC [Peter.MacNicholl@dtsc.ca.gov]
Sent: 9/4/2018 5:22:33 PM
To: Fennessy, Christopher [christopher.fennessy@Rocket.com]; MacDonald, Alex@Waterboards [Alex.MacDonald@waterboards.ca.gov]; Rohrer, Jim@DTSC [Jim.Rohrer@dtsc.ca.gov]; Keller, Lynn [Keller.Lynn@epa.gov]; ROJAS-MICKELSON, DAEWON [rojas-mickelson.daewon@epa.gov]
Subject: Re: Program Plan Modification Report Update

Hi Chris,

I don't have any recommendations on the PPMR. My only comment is the Area 40 schedule should be viewed as tentative. Thank you.

-Pete

From: Fennessy, Christopher <christopher.fennessy@Rocket.com>
Sent: Tuesday, September 4, 2018 9:50:44 AM
To: MacDonald, Alex@Waterboards; MacNicholl, Peter@DTSC; Rohrer, Jim@DTSC; Keller, Lynn (Keller.Lynn@epa.gov); rojas-mickelson.daewon@epa.gov
Subject: Program Plan Modification Report Update

Hi Everyone – The Program Plan Modification Report (PPMR) is due to be updated next month. Last year, we agreed that we would discuss modifications prior to submitting this annual update. Here is what I believe needs to be updated:

Update the executive summary to document BOU (OU-6) Order and Area 40 OU RAP
Update Table 1-1 RCRA table and possibly the discussion of RCRA (anticipate elimination of RCRA facility boundary with expiration of permit in March 2019)
Update Table 2-1 to document that BOU Order and Area 40 RAP have been issued and document the RAP-required remedies for the Area 40 source areas
Update Table 5 - Schedule for Area 40 and due date for EOU RI report

We would also like to discuss the possibility of identifying additional, more manageable, Operable Units. Please let me know if you have any additional updates that you would like to propose for the 2018 PPMR update.

Thanks, Chris

Christopher M. Fennessy, P.E.
Aerojet Rocketdyne, Inc.
Engineering Manager, Site Remediation
PO Box 13222
Sacramento, California 95813-6000
Ph: 916-355-3341
Fax: 916-355-6145
Email: Christopher.Fennessy@Rocket.com